















High Frequency Transformer



产品型号 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-EE1011 		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EE1312 		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EE1614 		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EE1614H 		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EE1916 		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EE1927 		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EE1916H 		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER

High Frequency Transformer



产品型号 TYPE	外形尺寸图 DIMENSIONS (mm)			产品特点 FEATURES	产品应用 APPLICATION
ET-EE1927H				<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EE2219				<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EE2520				<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EE2820				<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EE3030				<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EE4035				<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EE4035H				<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

High Frequency Transformer



产品型名 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-EE4242H	<p>44.0 MAX. 36.0 MAX. 3.5 46.0 MAX. 5.0 35.0±0.5</p>	<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EE5555H	<p>56.0 MAX. 57.0 MAX. 3.5±0.5 5.0±0.5 47.0±1.0 7.5±0.5</p>	<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EI1614	<p>18.5 MAX. 14.5 max. 17.5 max. 3.5 min. P=3.25±0.3 10.5±0.3 10.80±0.6 1 2 3 4 5 6 7 8 9</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EI1916	<p>22.0 MAX. 19.0 MAX. 11.0±0.5 12.0±0.5 16.0 MAX. 8.0±0.5 3.5 ∅0.7</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EI2520	<p>22.0 MAX. 28.0 MAX. 24.0 MAX. 4.0 90.8 15.2±0.5 0.5</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EI2820	<p>24.0 MAX. 29.5 MAX. 3.5 17.5±0.5 23.0 MAX. 5.0</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EI3328	<p>Max. 33.0 Max. 32.0 6.0 Max. 27.0 ∅0.8 4.5 0 20.0</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER















High Frequency Transformer



产品型名 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-EI4035H	<p>42.0 MAX. 37.0 MAX. 29.0 MAX. 5.0±0.5 26.0±0.5 3.5</p>	<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER9.5	<p>13.0 MAX. 11.0 MAX. 6.0 MAX. 2.0</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER11.5	<p>13.0 MAX. 12.0 MAX. 6.0 MAX. 2.0±0.3 0.7 REF.</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER12.8	<p>14.5 MAX. 11.0 9.6 13.0 MAX. 6.0 MAX. 12.2 0.6 4-2.0</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER14.5	<p>Max. 16.5 12.0 Max. 17.0 Max. 6.5 0.5 14.5 4-2.5</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER2828	<p>25.0 MAX 30.0 MAX. 4.0 29.5 MAX. 0.8±0.1 5.0±0.5 17.5±0.5</p>	<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER3542	<p>33.0 MAX. 39.0 MAX. 46.5 MAX. 4.0 20.0 22.5±0.5 5.0±0.5</p>	<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER















High Frequency Transformer



产品型名 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-ER2828H 		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER2835H 		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER4042 		<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER4042H 		<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER4245 		<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ER4245H 		<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-PQ2020 		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

High Frequency Transformer



产品型名 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-PQ2620 		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-PQ2625 		* LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-PQ3220 		* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-PQ3230 		* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-PQ3535 		* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-PQ4040 		* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-PQ5050 		* HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY	* SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

High Frequency Transformer



产品型名 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-EF1616H	<p>Dimensions: 19.0 MAX. (width), 19.0 MAX. (height), 14.0 MAX. (depth), 3.5 (width), 2.54 (width), 15.25±0.5 (height)</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EF1616H	<p>Dimensions: 18.0 MAX. (width), 18.0 MAX. (height), 14.0 MAX. (depth), 4.0 (width), 12.5±0.5 (height), 3.5 (width)</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EF2020H	<p>Dimensions: 21.0 MAX. (width), 21.0 MAX. (height), 17.0 MAX. (depth), 3.5±1.0 (width), 5.0±0.5 (width), 15.0±0.5 (height), 0.7±0.1 (width)</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EF2020	<p>Dimensions: 15.0 MAX. (width), 22.0 MAX. (height), 22.0 MAX. (depth), 3.5±0.5 (width), 10.0±0.5 (width), 5.0±0.5 (height), 0.65±0.1 (width)</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EF2525H	<p>Dimensions: 27.0 MAX. (width), 27.0 MAX. (height), 21.0 MAX. (depth), 4.0±0.5 (width), 20.0±0.5 (height), 20.8±0.1 (width), 0.8±0.1 (width)</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EF2525	<p>Dimensions: 20.0 MAX. (width), 26.5 MAX. (height), 29.0 MAX. (depth), 3.5±1.0 (width), 13.0±0.5 (width), 5.0±0.5 (height), 0.8±0.1 (width)</p>	<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ETD29	<p>Dimensions: 36.5 MAX. (width), 36.5 MAX. (height), 26.0 MAX. (depth), 4.5 (width), 5 (width), 25.8 (height), Ø1.0 REF (width)</p>	<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

High Frequency Transformer



产品型号 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-ETD34		<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ETD39		<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-ETD44		<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EFD6.5		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EFD10		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EFD1515		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EFD2020		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER















High Frequency Transformer



产品型名 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-CEFD1515		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-CEFD2020		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * DC/DC CONVERTER TRANSFORMER * EL INVERTER TRANSFORMER * SWITCHING POWER
ET-EFD2525		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EFD3030		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EPC1312		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EPC1717		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EPC1919		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

High Frequency Transformer



产品型号 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-EPC3030 		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-RM4 		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-RM5 		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-RM6 		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * EL INVERTER TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-RM8 		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-RM10 		<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-RM14 		<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER















High Frequency Transformer



产品型号 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-EP7		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * ADSL ,XDSL TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EP10		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * ADSL ,XDSL TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EP13		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * ADSL ,XDSL TRANSFORMER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-EP17		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-POT3019		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-POT3320		<ul style="list-style-type: none"> * LOW PROFILE * INEXPENSIVE TYPE * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * AC ADAPTER * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER
ET-POT3420		<ul style="list-style-type: none"> * HIGH-POWER * HIGH RELIABILITY * HIGH CONVERSION EFFICIENCY 	<ul style="list-style-type: none"> * SWITCHING POWER SUPPLY * DC/DC CONVERTER TRANSFORMER

High Frequency Transformer



产品型名 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-CEE1927H 		<ul style="list-style-type: none"> * LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY 	<ul style="list-style-type: none"> * LCD * FAX * scanner unit
ET-CEE1624H 		<ul style="list-style-type: none"> * LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY 	<ul style="list-style-type: none"> * LCD * FAX * scanner unit
ET-CEFD2020 		<ul style="list-style-type: none"> * LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY 	<ul style="list-style-type: none"> * LCD * FAX * scanner unit
ET-EE1916H 		<ul style="list-style-type: none"> * LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY 	<ul style="list-style-type: none"> * LCD * FAX * scanner unit
ET-CUI1520 		<ul style="list-style-type: none"> * LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY 	<ul style="list-style-type: none"> * LCD * FAX * scanner unit
ET-CI1720 		<ul style="list-style-type: none"> * LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY 	<ul style="list-style-type: none"> * LCD * FAX * scanner unit
ET-CUI9824 		<ul style="list-style-type: none"> * LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY 	<ul style="list-style-type: none"> * LCD * FAX * scanner unit

High Frequency Transformer



产品型号 TYPE	外形尺寸图 DIMENSIONS (mm)	产品特点 FEATURES	产品应用 APPLICATION
ET-EEW18(1)	<p>21.5MAX. 7.5MAX. 23.0MAX.</p>	<ul style="list-style-type: none"> * LOW VOLTAGE HIGH CURRENT HIGH FREQUENCY POWER CONVERTERS; * POWER RATING: 75W MAX. * FREQUENCY RANGE : 200kHz to 700kHz 	* DC-DC Power Module
ET-EEW18(2)	<p>21.5MAX. 8.5MAX. 23.0MAX.</p>	<ul style="list-style-type: none"> * LOW VOLTAGE HIGH CURRENT HIGH FREQUENCY POWER CONVERTERS; * POWER RATING: 75W MAX. * FREQUENCY RANGE : 200kHz to 700kHz 	* DC-DC Power Module
ET-EEW18(L)	<p>19.0MAX. 1.0 23.0MAX. 15.3 3.50 3.00 17.0 P2 P1</p>	<ul style="list-style-type: none"> * POWER INDUCTANCE * POWER RATING: 150W MAX. * FREQUENCY RANGE : 200kHz to 700kHz 	* DC-DC Power Module
ET-EEW22	<p>31.5MAX. 24.0MAX. P2 P1 24.5 5.00 15.0</p>	<ul style="list-style-type: none"> * LOW VOLTAGE HIGH CURRENT HIGH FREQUENCY POWER CONVERTERS; * POWER RATING: 150W MAX. * FREQUENCY RANGE : 200kHz to 700kHz * HEIGHT . 8.6mm to 9.7 mm MAX.; 	* DC-DC Power Module
ET-EE0505	<p>Max. 7.8 Max. 8.38 Max. 5.45 1.85 0.25 0.61</p>	<ul style="list-style-type: none"> * CURRENT RARING: UP TO 20A * FREQUENCY RANGE :50K~1.0M Hz * FLOW PRIMARY D.C.R 	<ul style="list-style-type: none"> * PRECISE CURRENT MEASUREMENT IN INSTRUMENTATION * HIGH RELIABILITY EQUIPMENT * ELECTRONIC SYSTEMS APPLICATION :SMPS * CONTROL
ET-CUI1205	<p>10±0.3 29.6±0.5 25.2±0.3 12.5MAX. 6.0MAX. -0.5±0.1 2.0±0.3</p>	<ul style="list-style-type: none"> * LOW PROFILE * REFLOW SOLDERING IS POSSIBLE * HIGH RELIABILITY 	<ul style="list-style-type: none"> * LCD * FAX * scanner unit